



# 2-Channel Linebacker® Cable Protector for 3.25" Lines - CP2X325-Y/O

## Product Images





## Short Description

---

- Protects cables and hoses up to 3.25" outside dia.
- Patented T-Connectors to extend to any length
- Reinforced hinged lid for easy cable placement
- All-weather polyurethane construction
- Patented 5-bar tread surface for maximum traction
- Easy to transport, setup, disassemble, and store
- Ideal for use in oil & gas applications, mining, military, and other industrial environments with heavy trucks and forklift
- Custom cable protectors are available. [Get a quote here.](#)

## Description

---

Linebacker® 2-CHANNEL CABLE PROTECTORS with a hinged lid is one of the largest open top cable protectors on the market. This wide channel design provides a safe crossing for vehicles and pedestrian traffic while protecting valuable electrical cables and hose lines from damage in extreme weather conditions and work environments. Use this for cables up to 3.25" tall and 3.25" wide. Modular interlocking design is ideal for use in oil and gas applications, mining, military, and other industrial environments with heavy trucks and forklifts.

Custom cable protectors can be made with different colors and embossed logos. [Get a quote with your specific requirements.](#)

## Specifications

---

Model No	CP2X325-Y/O
UPC	812958000618
Color	Yellow Lid / Orange Base
Quantity Included	1
Pallet Quantity	26
Load Capacity Per Axle	21760 lbs
Load Capacity Per Tire	10880
Length (Inches)	36
Width (Inches)	22
Height (Inches)	4.13
Max Cable Outside Diameter (Inches)	3.25
Number of Channels	2-Channels
Connector Type	T-Connector Connector
Channel Width	3.25

## Prop 65

---

**⚠️WARNING:** This product can expose you to chemicals including Carbon Black, Titanium Dioxide, Formaldehyde, and Benzyl Butyl Phthalate, which are known to the State of California to cause cancer and

birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).